

Prepared by: Russell Rawling, MS, Microbiology Manager

Organism	Number of Isolates	Ampicillin	Amoxicillin/clavulanate	Piperacillin/tazobactam	Cefazolin*	Cefoxitin	Cefepime	Ceftazidime	Ceftriaxone	Ertapenem	Meropenem	Ciprofloxacin	Levofloxacin	Gentamicin [#]	Tobramycin	Tetracycline (Doxycycline)	Trimethoprim/sulfamethoxazole (Bactrim)	Nitrofurantoin	Oxacillin [‡]	Penicillin	Vancomycin	Linezolid
ESCHERICHIA COLI (includes ESBL)	2771	46	81	95	82	83	90	90	90	100	100	57	57	89	90	70	70	93				
ESCHERICHIA COLI - ESBL	289	0	52	89	0	46	0	0	0	99	100	15	15	77	69	37	41	81				
KLEBSIELLA PNEUMONIAE	628	0	98	97	97	93	100	99	99	99	100	97	96	99	99	81	90	40				
PROTEUS MIRABILIS	162	84	100	100	91	97	100	100	99	95	100	85	86	94	94	0	88	0				
ENTEROBACTER CLOACAE COMPLEX	120	0	0	76	0	0	98	77	74	90	98	88	89	90	94	77	82	39				
KLEBSIELLA OXYTOCA	116	0	91	92	59	100	100	100	97	100	100	100	100	98	98	96	100	90				
CITROBACTER FREUNDII	68	0	0	89	0	0	100	84	84	97	98	97	94	94	96	76	78	75				
ENTEROBACTER AEROGENES	64	0	0	88	0	0	100	91	89	94	100	100	100	100	100	95	100	11				
SERRATIA MARCESCENS	54	0	0	100	0	46	100	100	94	96	100	100	100	100	70	38	100	0				
MORGANELLA MORGANII	39	0	0	100	0	57	100	91	87	97	97	69	67	77	84	0	54	0				
CITROBACTER KOSERI	33	0	0	97	97	84	100	96	97	97	100	97	97	100	100	100	100	94				
PSEUDOMONAS AERUGINOSA	279	NI [¶]	NI [¶]	93	NI [¶]	NI [¶]	97	97	NI [¶]	NI [¶]	94	74	73	88	97	NI [¶]	NI [¶]	NI [¶]				
ENTEROCOCCUS SP., VSE	486	97										73	75			26		95			100	100
ENTEROCOCCUS SP., VRE	46	45										0	0			6		55			0	100
STAPH. SPECIES, COAG. NEG	358											39	39	no data		81	58	99	54	0	98	100
STAPH. AUREUS, MSSA	97											69	72	100		98	100	100	100	0	100	100
STAPH. AUREUS, MRSA	54											15	15	100		98	93	100	0	0	100	100

* For uncomplicated UTI's, Cefazolin MIC results less than or equal to 16 mcg/ml predict susceptibility of the following oral cephalosporins: cefaclor, cefdinir, cefpodoxime, cefprozil, cefuroxime, and cephalexin.

‡ Oxacillin susceptible Staph are also susceptible to other penicillinase-resistant penicillins, betalactam/betalactamase inhibitor combinations, cepheems, and carbapenems FDA approved to treat Staph infections.

Gentamicin may be used in combination with other drugs against Staph isolates.

¶ NI = drug not active.

The percentage in red are greater than or equal to 80% susceptibility, potentially useful for empiric therapy.